


Mondo-series Matic-series TH-series

**BRAVILOR
BONAMAT**



Mondo



Matic



TH



THa



Quick filter

The taste of quality worldwide



The wonderful aroma gives it away immediately... freshly brewed filter coffee of superior quality offering delicious flavour. In two shakes you can have exactly your desired quantity dispensed directly into the unique Bravilor Bonamat decanters (Mondo and Matic) or our special airpots (TH and THa). There is a model suited to every situation, plus the added benefit of either manual or automatic fill machines. Whichever you choose, quality and durability are paramount, making it unsurprising that Bravilor Bonamat have been the leaders in the filter sector of the European market for years.



From technology to draft and from material to design: fine quality and durability are always key aspects of our products.



Quick filtering machines highlighted

- Delicious fresh filter coffee
- User friendly and low maintenance
- "Coffee-is-ready" signal
- Descaling signal
- Stainless steel filter pan and housing for a robust and quality appearance
- Digital control panel
- Manual and automatic fill models available
- A variety of models available to suit every situation

The specially designed Bravilor Bonamat glass, stainless steel and 'Durabel' shatterproof decanters.





Models Mondo & Matic-series

This range brews filter coffee directly into decanters. The self-regulating hot plates re-adjust the temperature according to the amount of coffee in the decanter so you always serve coffee of consistent quality. The Mondo features a manual water filling system, an added benefit when you require a coffee machine where it can not be plumbed in. Alternatively the Matic is available as an automatic fill model and is simple and quick to connect to the mains water supply. Whether you desire a large amount or a single cup of coffee Bravilor Bonamat has the ideal model to meet all of your needs.

Model	Design
Mondo 2 & Matic 2	1 brewing system; 2 hot plates
Matic 3	1 brewing system; 3 hot plates
Mondo Twin & Matic Twin	2 brewing systems; 4 hot plates

Models TH-series

The TH series brews coffee directly into the special Bravilor Bonamat airtop or vacuum flask; these containers maintain the quality of your coffee and its fresh aroma until you are ready to serve it. This means you can enjoy freshly brewed coffee, down to the last cup, anytime and anywhere you like. The TH features a manual filling system for sites where connection to the mains water supply is unavailable. In addition we offer the THa as an automatic version of the TH, designed for sites with water connection.

Model	Design
TH 10	1 brewing system; without water connection
TH 20	1 brewing system; without water connection
THa 10	1 brewing system; with water connection
THa 20	1 brewing system; with water connection

Mondo-series Matic-series TH-series



The Bravor Bonamat airpot Furento keeps your coffee fresh until you want it. So you can enjoy freshly brewed coffee anytime and anywhere you like, right down to the last cup.



Technical details	Mondo 2	Mondo Twin
Holding capacity	2 decanters / 24 cups	4 decanters / 48 cups
Throughput per hour 230V	approx. 18 litres	approx. 28 litres
Throughput per hour 400V		approx. 36 litres
Brewing time 230V	approx. 5 min. / 1 decanter	approx. 7 min. / 2 decanters
Brewing time 400V		approx. 5 min. / 2 decanters
Rated power 230V ~ 50/60Hz	2145W	3460W / 2760W (UK)
Rated power 400V ~ 3N 50/60Hz		4290W / 4330W (UK)
Dimensions (wxdxh)	215x355x618 mm	420x355x618 mm

1 cup = 0.125 litres, 1 decanter ≈ 1.7 litres

Technical details	Matic 2	Matic 3	Matic Twin
Holding capacity	2 decanters / 24 cups	3 decanters / 36 cups	4 decanters / 48 cups
Throughput per hour 230V	approx. 15 litres	approx. 15 litres	approx. 24 litres
Throughput per hour 400V			approx. 30 litres
Brewing time 230V	approx. 6 min. / 1 decanter	approx. 6 min. / 1 decanter	approx. 8 min. / 2 decanters
Brewing time 400V			approx. 6 min. / 2 decanters
Rated power 230V ~ 50/60Hz	2145W	2210W	3460W / 2780W (UK)
Rated power 400V ~ 3N 50/60Hz			4290W / 4350W (UK)
Dimensions (wxdxh)	215x353x618 mm	215x353x618 mm	420x353x618

1 cup = 0.125 litres, 1 decanter ≈ 1.7 litres

The special Bravor Bonamat filter papers maximise the fresh taste and delicious aroma of your coffee.





Coffee of consistent quality: the self-regulating hotplates automatically re-adjust the heat to keep the amount of coffee in the decanter at the ideal temperature.

Technical details	TH 10	TH 20	THa 10	THa 20
Holding capacity	2,2 litres	2,2 litres	2,2 litres	2,2 litres
Throughput per hour	approx. 18 litres	approx. 20 litres	approx. 15 litres	approx. 18 litres
Brewing time (2,2 litre)	approx. 7 minutes	approx. 6 minutes	approx. 8 minutes	approx. 7 minutes
Rated power 230V ~ 50/60Hz	2015W	2555W	2015W	2555W
Dimensions (wxdxh)	215x355x557 mm	215x355x557 mm	215x355x552 mm	215x355x552 mm

1 litre ≈ 8 cups

Options Mondo & Matic-series

- A special stainless steel filter pan is available for brewing tea
- Available in burgundy, Mondo 2 also available in dark-grey
- The HP series: self-regulating hotplates that can be used independently of the coffee maker
- A wall mounting console is also available on request
- On request we supply models designed specifically for marine use

Options TH-series

- A special stainless steel filter pan is available for brewing tea
- Available in dark-grey, TH 10 also available in burgundy
- The special airpot station works as a useful addition to this range: a base for decentralised airpots featuring compartments for accessories and ingredients
- Airpot drip tray to keep the work surface clean

We advice the use of:

- Bravilor Bonamat filter papers for delicious coffee
- Renegite for descaling
- Cleaner for thorough cleaning

/// BRAVILOR BONAMAT



Your Bravilor Bonamat dealer

Jurang Wholesale Limited
Premier House
Manchester Road
Mossley
OL5 9AA

www.jurang.co.uk - 01457 833672 - info@jurang.co.uk

Alterations reserved
904.040.004

www.bravilor.com

The taste of quality worldwide